

Service Zone: 1 Currency: US Dollars

Change	Model Number	Description	Package Dimensions WxHxD, in (cm)	Pack- age Weight, lbs (kg)	UPC	WW List Price	War- ranty*	DIR DISC %
--------	--------------	-------------	-----------------------------------	----------------------------	-----	---------------	-------------	------------

Tape Automation

Quantum Scalar i3 Libraries - Tape Low End

Quantum Scalar i3 Library Base Systems

LSC33-BSC0-001A	Quantum Scalar i3 Library, 3U Control Module, 25 licensed slots, no tape drives, equipment rack must support product depth of 36.4in (92.5cm)	44x23.5x15.25 (111.8x59.7x38.7)	68 (30.84)			5630	1yr NBD	20.76%
-----------------	---	------------------------------------	---------------	--	--	-------------	---------	--------

Quantum Scalar i3 Library Expansion Module Bundle

LSC33-BSJ0-001A	Quantum Scalar i3 Library, 3U Control Module with 3U Expansion Module, 50 licensed slots, no tape drives, equipment rack must support product depth of 36.4in (92.5cm)	28x24x47 (71.1x61x119.4)	92 (41.73)	7-68268-04383-1		11160	1yr NBD	20.76%
-----------------	--	-----------------------------	---------------	-----------------	--	--------------	---------	--------

Quantum Scalar i3 Tape Drive Modules

LSC33-ATDX-L8JA	Quantum Scalar i3 IBM LTO-8 Tape Drive Module, Half Height, 8Gb native Fibre Channel, Single Port	12x6.6x15 (30.5x16.8x38.1)	6 (2.72)	7-68268-80445-0		8230	30d RE	20.76%
LSC33-ATDX-L7JA	Quantum Scalar i3 IBM LTO-7 Tape Drive Module, Half Height, 8Gb native Fibre Channel, Single Port	12x6.6x15 (30.5x16.8x38.1)	6 (2.72)	7-68268-04140-0		7590	30d RE	20.76%
LSC33-ATDX-L6JA	Quantum Scalar i3 IBM LTO-6 Tape Drive Module, Half Height, 8Gb native Fibre Channel, Single Port	12x6.6x15 (30.5x16.8x38.1)	6 (2.72)	7-68268-04136-3		5440	30d RE	20.76%
LSC33-ATDX-L8NA	Quantum Scalar i3 IBM LTO-8 Tape Drive Module, Half Height, 6Gb SAS, Single mini-SAS-HD 8644 Port	12x6.6x15 (30.5x16.8x38.1)	6 (2.72)	7-68268-80445-7		7590	30d RE	20.76%
LSC33-ATDX-L7NA	Quantum Scalar i3 IBM LTO-7 Tape Drive Module, Half Height, 6Gb SAS, Single mini-SAS-HD 8644 Port	12x6.6x15 (30.5x16.8x38.1)	6 (2.72)	7-68268-04141-7		6330	30d RE	20.76%
LSC33-ATDX-L6NA	Quantum Scalar i3 IBM LTO-6 Tape Drive Module, Half Height, 6Gb SAS, Single mini-SAS-HD 8644 Port	12x6.6x15 (30.5x16.8x38.1)	6 (2.72)	7-68268-04137-0		4810	30d RE	20.76%

Quantum Scalar i3 Options

LSC33-AEXM-001A	Quantum Scalar i3 3U Expansion Module, No Slot Licenses, No Tape Drives	23.5x15.25x43.7 5 (59.7x38.7x111.1)	32 (14.51)	7-68268-04355-8		5060	30d RE	20.76%
LSC33-ALSE-001A	Quantum Scalar i3 25-Slot Capacity on Demand Upgrade License	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04366-4		3420		20.76%
LSC33-ALSL-001A	Quantum Scalar i3 100-Slot Capacity on Demand Upgrade License	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04367-1		13680		20.76%
LSC33-APWR-001A	Quantum Scalar i3 Power Supply, 80 Plus Certified Energy Efficient	16.25x4.25x11.2 5 (41.3x10.8x28.6)	4.5 (2.04)	7-68268-04365-7		500	30d RE	20.76%
LSC33-ALEK-001A	Quantum Scalar i3 6U+ Library Expansion Kit	10x7x36 (25.4x17.8x91.4)	18 (8.16)	7-68268-04354-1		1010	30d RE	20.76%
LSC3A-ARU2-000A	Quantum Scalar i3 and i6, Gen2 Robot Upgrade	37.7x10.6x22.8 (95.8x26.9x57.9)	21.3 (9.66)			4500		20.76%
LSC3A-AMAG-LT1A	Quantum Scalar i3, Scalar i6 and AEL6 Left Magazine, spare	7.8x15.25x43.75 (19.8x38.7x111.1)	7.5 (3.4)	7-68268-04353-4		400	30d RE	20.76%
LSC3A-AMAG-RT1A	Quantum Scalar i3, Scalar i6 and AEL6 Right Magazine, spare	7.8x15.25x43.75 (19.8x38.7x111.1)	7.5 (3.4)	7-68268-04352-7		400	30d RE	20.76%
LSC33-ALAR-001A	Quantum Scalar i3 Advanced Reporting Option License	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04369-5		3039		20.76%
LSC33-ALAV-001A	Quantum Scalar i3 Active Vault License	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04570-5		10300	1yr NBD	20.76%
LSC33-ALPF-001A	Quantum Scalar i3 Advanced Path Failover License, Control Path only, Single Drive, for use with IBM LTO-6 FC and later	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04374-9		2000		20.76%
LSC33-ALAP-001A	Quantum Scalar i3 Multi-Path Failover License, Control Path Only, Single Drive, for use with IBM LTO-6 FC drives and later	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04384-8		2000		20.76%
LSC33-ALM1-SKMA	Quantum Scalar i3 Library-Managed Encryption License, Scalar Key Manager, single drive	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04370-1		1600		20.76%
LSC33-ALM4-SKMA	Quantum Scalar i3 Library-Managed Encryption License, Scalar Key Manager, four drives	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04371-8		6400		20.76%
LSC33-ALM1-TPMA	Quantum Scalar i3 Library-Managed Encryption License, Third-Party Key Managers, single drive	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04372-5		1600		20.76%
LSC33-ALM4-TPMA	Quantum Scalar i3 Library-Managed Encryption License, Third-Party Key Managers, four drives	9x1.5x13.25 (22.9x3.8x33.7)	1 (0.45)	7-68268-04373-2		6400		20.76%
CI	LSCBB-AKMA-001B	Quantum Scalar Key Manager Appliance, mandatory quantity two	30.13x23x6.5 (76.5x58.4x16.5)	60 (27.22)		7500	3yr RE	20.76%
	LSCBB-AKMV-001B	Quantum Scalar Key Manager Virtual Machine for VMware, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	20.76%
	LSCBB-AKMK-001B	Quantum Scalar Key Manager Virtual Machine for KVM, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	20.76%

Service Zone: 1 Currency: US Dollars

Change	Model Number	Description	Package Dimensions WxHxD, in (cm)	Pack- age Weight, lbs (kg)	UPC	WW List Price	War- ranty*	DIR DISC %
	LSCBB-ALHV-001A	Quantum Scalar Key Manager Virtual Machine for Hyper-V, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	20.76%

Quantum Scalar i3 Installation and Additional Services

	SSC33-NSYN-PB00	Quantum Scalar i3 Library, Phone-Based/WebEx-Based Installation and Configuration, all zones				1413		20.76%
CI, CP	SSC33-NSYS-0001	Quantum Scalar i3 Library, Initial Onsite Installation and Configuration, zone 1				1059		20.76%
CD, CI	SAABB-NSSC-0001	Quantum Site Charge, Entry-Level/Midrange, zone 1				2800		20.76% 20.76%
CP	SLBBB-NEK1-PB00	Quantum Scalar Key Management Solution (SKM only), Phone-Based Installation and Configuration, Single Server, Software and SKM Hardware, all zones				1413		20.76%
CI, CP	SLBBB-NEK1-0001	Quantum Scalar Key Manager (SKM), Single Server/Site System, Onsite Installation and Configuration, zone 1				1059		20.76%
CD, CI, CP	SSC33-NEXM-0001	Quantum Scalar i3 Library, 3U Expansion Module, Onsite Installation, zone 1				706		20.76%
CD, CI	SSC33-NTD1-0001	Quantum Scalar i3 Library, Tape Drive, Single Drive, Onsite Installation, zone 1				225		20.76%
CD, CI	SSC33-NLEK-0001	Quantum Scalar i3 Library, 6U+ Library Expansion Kit for Field Upgrade, Onsite Installation, zone 1				863		20.76%
	SSC33-NLSD-PB00	Quantum Scalar i3 Library, Phone-Based/WebEx-Based Installation for Slot COD and/or Encryption License Reduction; Miscellaneous Support, Fee; all zones				706		20.76%
CI	SSC33-NLSD-0001	Quantum Scalar i3, Onsite Slot and/or Encryption License Reduction Service; Miscellaneous Support, Fee; zone 1				863		20.76%
CI, CP	SSC3A-NRU2-0001	Quantum Scalar i3 and i6, Gen2 Robot Upgrade, Single Robot, Onsite Installation, zone 1				1059		20.76%
	SSCBB-NDMA-001A	Quantum Library Drive and Media Audit for all tape libraries; Miscellaneous Support, Fee; one-time event				1650		20.76%
	SSC33-RTSA-NR10	Quantum Scalar i3 Library, per drive, Non-Returnable Tape Drive; Support Plan, Fee; annual, all zones				800		20.76%
	SSC3A-RCSA-NR10	Quantum Scalar i3, Scalar i6 and AEL6, per library, Non-Returnable Library Components; Support Plan, Fee; annual, all zones				2000		20.76%
	SLBBB-ADSS-0001	Quantum Dark Site Support Charge; Miscellaneous Support, Fee; annual, zone 1				5000		20.76%

Quantum Scalar i500 Libraries - Mid End

Quantum Scalar i500 Base Libraries

Quantum Scalar i500 Tape Drive Modules

	LSC5H-UTDP-L9BA	Quantum Scalar i500 and AEL500 IBM LTO-9 Tape Drive Module, Full Height, 8Gb Native Fibre Channel, Dual Port	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04588-0	43300	30d RE	30.00%
	LSC5H-UTDP-L8BA	Quantum Scalar i500 and AEL500 IBM LTO-8 Tape Drive Module, Full Height, 8Gb Native Fibre Channel, Dual Port, field upgrade	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-80445-8	25560	30d RE	30.00%
	LSC5H-UTDP-L7BA	Quantum Scalar i500 and AEL500 5U+ IBM LTO-7 Tape Drive Module, Full Height, 8Gb native Fibre Channel, Dual Port	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04199-8	22000	30d RE	30.00%
	LSC5H-UTDP-L6BA	Quantum Scalar i500 and AEL500 5U+ IBM LTO-6 Tape Drive Module, Full Height, 8Gb native Fibre Channel, Dual Port	9x9x16 (22.9x22.9x40.6)	13 (5.9)		18346	30d RE	30.00%
	LSC5H-UTDM-L6BA	Quantum Scalar i500 and AEL500 5U+ IBM LTO-6 Tape Drive Module, Full Height, 6Gb SAS	9x9x16 (22.9x22.9x40.6)	13 (5.9)		13864	30d RE	30.00%

Quantum Scalar i500 Field Upgrade Options

	LSC5H-UEXM-900A	Quantum Scalar i500 9U Expansion Module, zero activated slots, field upgrade, PTO	25x29.75x39 (63.5x75.6x99.1)	59 (26.76)		9698	30d RE	30.00%
	LSC5H-UULS-046A	Quantum Scalar i500 46-slot License Key, field upgrade	9x9x16 (22.9x22.9x40.6)	5 (2.27)	7-66214-00271-0	9631		30.00% 30.00%
	LSC5H-URPS-000A	Quantum Scalar i500 and AEL500 Redundant (2N) Power Supply Module, field upgrade	9x9x16 (22.9x22.9x40.6)	5 (2.27)	7-66214-00347-2	3085	30d RE	30.00%
	LSC5H-UUCMK-001A	Quantum Scalar i500 and AEL500 14U+ Cable Management Kit, field upgrade	4x4x11 (10.2x10.2x27.9)	2 (0.91)	7-66214-00471-4	52	30d RE	30.00%
	LSC2K-AMAG-L06A	Quantum Scalar i500/i6000 and AEL500/6000 Six-slot LTO Magazine	13x13x6 (33x33x15.2)	4 (1.81)		72		30.00%
	LSC5H-UDTK-000A	Quantum Scalar i500 and AEL500 5U and 14U Desktop Kit, field upgrade	10.3x3.5x4.5 (26.2x8.9x11.4)	2 (0.91)		47		30.00% 30.00%
	LSC5H-UADR-000A	Quantum Scalar i500 and AEL500 Advanced Reporting Option License Key, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-02982-8	3039		30.00%
	LSC5H-USN2-L5HA	Quantum Scalar i500 and AEL500 Basic Path Failover license, for use with HP and IBM LTO-5 and later drives, enables two drives, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03220-0	3090		30.00%
	LSC5H-USN4-L5HA	Quantum Scalar i500 and AEL500 Basic Path Failover license, for use with HP and IBM LTO-5 and later drives, enables four drives, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03221-7	6180		30.00%

Service Zone: 1 Currency: US Dollars

Change	Model Number	Description	Package Dimensions WxHxD, in (cm)	Package Weight, lbs (kg)	UPC	WW List Price	Warranty*	DIR DISC %
	LSC5H-USN6-L5HA	Quantum Scalar i500 and AEL500 Basic Path Failover license, for use with HP and IBM LTO-5 and later drives, enables six drives, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03222-4	9270		30.00%
	LSC5H-USNA-L5HA	Quantum Scalar i500 and AEL500 Basic Path Failover license, for use with HP and IBM LTO-5 and later drives, enables ten drives, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03223-1	15450		30.00%
	LSC5H-ALAP-B05B	Quantum Scalar i500 Advanced Path Failover license, for use with IBM LTO-5 and later, Enables Two Drives	0x0x0 (0x0x0)	0 (0)	7-68268-04290-2	5000		30.00%
	LSC5H-ALAP-B05D	Quantum Scalar i500 Advanced Path Failover license, for use with IBM LTO-5 and later, Enables Four Drives	0x0x0 (0x0x0)	0 (0)	7-68268-04291-9	10000		30.00%
	LSC5H-ALAP-B05F	Quantum Scalar i500 Advanced Path Failover license, for use with IBM LTO-5 and later, Enables Six Drives	0x0x0 (0x0x0)	0 (0)	7-68268-04292-6	15000		30.00%
	LSC5H-ALAP-B05J	Quantum Scalar i500 Advanced Path Failover license, for use with IBM LTO-5 and later, Enables Ten Drives	0x0x0 (0x0x0)	0 (0)	7-68268-04293-3	25000		30.00%
	LSC5H-UKM2-L4HA	Quantum Scalar i500 and AEL500 Third-Party Key Manager License Key, Two-Drive, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03537-9	3090		30.00%
	LSC5H-UKM4-L4HA	Quantum Scalar i500 and AEL500 Third-Party Key Manager License Key, Four-Drive, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03538-6	6180		30.00%
	LSC5H-UKM6-L4HA	Quantum Scalar i500 and AEL500 Third-Party Key Manager License Key, Six-Drive, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03539-3	9270		30.00%
	LSC5H-UKMA-L4HA	Quantum Scalar i500 and AEL500 Third-Party Key Manager License Key, Ten-Drive, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03540-9	15450		30.00%
	LSC5H-UQK2-L4BA	Quantum Scalar i500 and AEL500 Scalar Key Manager License Key, Two-Drive, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03085-5	3090		30.00%
	LSC5H-UQK4-L4BA	Quantum Scalar i500 and AEL500 14U+ Scalar Key Manager License Key, Four-Drive, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03086-2	6180		30.00%
	LSC5H-UQK6-L4BA	Quantum Scalar i500 and AEL500 14U+ Scalar Key Manager License Key, Six-Drive, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03087-9	9270		30.00%
	LSC5H-UQKA-L4BA	Quantum Scalar i500 and AEL500 23U+ Scalar Key Manager License Key, Ten-Drive, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03088-6	15450		30.00%
	LSC5H-UQ25-002A	Quantum Scalar i500 and AEL500, Library Managed Encryption License Key for migration from Quantum Encryption Key Manager (Q-EKM) to Scalar Key Manager (SKM), Two Drives, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)		3090		30.00%
	LSC5H-UQ25-004A	Quantum Scalar i500 and AEL500, Library Managed Encryption License Key for migration from Quantum Encryption Key Manager (Q-EKM) to Scalar Key Manager (SKM), Four Drives, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)		6180		30.00%
	LSC5H-UQ25-006A	Quantum Scalar i500 and AEL500, Library Managed Encryption License Key for migration from Quantum Encryption Key Manager (Q-EKM) to Scalar Key Manager (SKM), Six Drives, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)		9270		30.00%
	LSC5H-UQ25-010A	Quantum Scalar i500 and AEL500, Library Managed Encryption License Key for migration from Quantum Encryption Key Manager (Q-EKM) to Scalar Key Manager (SKM), 10 Drives, field upgrade	14x2x9 (35.6x5.1x22.9)	2 (0.91)		15450		30.00%
CI	LSCBB-AKMA-001B	Quantum Scalar Key Manager Appliance, mandatory quantity two	30.13x23x6.5 (76.5x58.4x16.5)	60 (27.22)		7500	3yr RE	30.00%
	LSCBB-AKMV-001B	Quantum Scalar Key Manager Virtual Machine for VMware, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	30.00%
	LSCBB-AKMK-001B	Quantum Scalar Key Manager Virtual Machine for KVM, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	30.00%
	LSCBB-ALHV-001A	Quantum Scalar Key Manager Virtual Machine for Hyper-V, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	30.00%
	LSC5H-AEDL-000A	Quantum Scalar i500 iLayer EDLM License, Scanning Drives Not Included	14x2x9 (35.6x5.1x22.9)	2 (0.91)	7-68268-03536-2	10300		30.00%
	LSC5H-AEDL-B9AA	Quantum Scalar i500 and AEL500 IBM LTO-9 EDLM Scanning Tape Drive, field upgrade	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04588-0	13100	30d RE	30.00%
	LSC5H-AEDL-B8AA	Quantum Scalar i500 and AEL500 IBM LTO-8 EDLM Scanning Tape Drive, field upgrade	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-80445-5	9990	30d RE	30.00%
	LSC5H-AEDL-B7AA	Quantum Scalar i500 and AEL500 IBM LTO-7 EDLM Scanning Tape Drive	9x9x16 (22.9x22.9x40.6)	13.9 (6.3)	7-68268-04299-5	8600	30d RE	30.00%
	LSC5H-AEDL-B6AA	Quantum Scalar i500 and AEL500 IBM LTO-6 EDLM Scanning Tape Drive	9x9x16 (22.9x22.9x40.6)	13.9 (6.3)	7-68268-04298-8	6930	30d RE	30.00%

Quantum Scalar i6000 Libraries - High End

Quantum Scalar i6000 Control Modules

Control Modules include activation of the indicated number of licensed slots, a 24-slot Import/Export (I/E) Station (do not count as licensed slots) and documentation CD. Requires appropriate backup software with library functionality, compatible tapes, and appropriate Fibre Channel and Ethernet library-to-host cables. Must order at least one tape drive. Does not include any barcode labels.

LSC6K-BL00-001C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 100 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04173-8	66000	1yr NBD	35.00%
LSC6K-BL00-002C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 200 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04174-5	76000	1yr NBD	35.00%

Service Zone: 1 Currency: US Dollars

Change	Model Number	Description	Package Dimensions WxHxD, in (cm)	Package Weight, lbs (kg)	UPC	WW List Price	Warranty*	DIR DISC %
	LSC6K-BL00-004C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 400 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04175-2	80000	1yr NBD	35.00%
	LSC6K-BL00-007C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 700 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04176-9	95500	1yr NBD	35.00%
	LSC6K-BL00-015C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 1,500 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04177-6	123500	1yr NBD	35.00%
	LSC6K-BL00-030C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 3,000 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04178-3	185000	1yr NBD	35.00%
	LSC6K-BL00-050C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 5,000 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04179-0	242500	1yr NBD	35.00%
	LSC6K-BL00-070C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 7,000 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04180-6	305500	1yr NBD	35.00%
	LSC6K-BL00-090C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 9,000 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04181-3	340000	1yr NBD	35.00%
	LSC6K-BL00-110C	Quantum Scalar i6000 LTO Control Module (CM3), no tape drives, 11,000 slot license, no expansion modules	42.5x87x48 (108x221x121.9)	850 (385.55)	7-68268-04182-0	384000	1yr NBD	35.00%

Quantum Scalar i6000 Tape Drive Modules

The first 12 tape drives (18 with CM3) must be placed in the Control Module. All additional tape drives must be installed in Drive Ready Expansion Modules (DREM). Each DREM can support up to 12 tape drives and each DREM must be filled with drives before they are placed in the next DREM.

Any Storage Expansion Module (SEM) can be converted to a DREM in order to support tape drives. In a library with the Dual Robot feature the Right Parking Module can be a DREM and so it can support up to 12 tape drives.

Installation and Configuration must be ordered for all tape drives with the installation quantity matching the number of tape drives ordered.

	LSC6K-ATDJ-L9BD	Quantum Scalar i6000 and AEL6000 IBM LTO-9 Tape Drive Module, Full Height, 8Gb Native Fibre Channel, Dual Port	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04588-0	47700	30d RE	35.00%
	LSC6K-ATDN-L9BD	Quantum Scalar i6000 and AEL6000 IBM LTO-9 Tape Drive Module, Full Height, 12Gb SAS, Dual Port	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04590-3	40400	30d RE	35.00%
	LSC6K-ATDJ-L8BD	Quantum Scalar i6000 and AEL6000 IBM LTO-8 Tape Drive Module, Full Height, 8Gb Native Fibre Channel, Dual Port	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-80445-2	31010	30d RE	35.00%
	LSC6K-ATDJ-L7BD	Quantum Scalar i6000 and AEL6000 IBM LTO-7 Tape Drive Module, Full Height, 8Gb Native Fibre Channel, Dual Port	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04198-1	26700	30d RE	35.00%
	LSC6K-ATDJ-L6BD	Quantum Scalar i6000 and AEL6000 IBM LTO-6 Tape Drive Module, Full Height, 8Gb Native Fibre Channel, Dual Port	9x9x9 (22.9x22.9x22.9)	16 (7.26)		22229	30d RE	35.00%

Quantum Scalar i6000 Upgrade Options

	LSC2K-AIES-001A	Quantum Scalar i6000 and AEL6000 24-Slot Import/Export (I/E) Station for Expansion Module				4246	30d RE	35.00%
	LSC6K-AIES-072A	Quantum Scalar i6000 and AEL6000 72-Slot LTO Import/Export (I/E) Station for Expansion Module	30x29x82 (76.2x73.7x208.3)	275 (124.74)		8240	30d RE	35.00%
	LSC6K-ALSL-100B	Quantum Scalar i6000 100-slot License Key, no modules included	0x0x0 (0x0x0)	0 (0)		10300		35.00%
	LSC6K-ALAV-000A	Quantum Scalar i6000 and AEL6000 Active Vault License	0x0x0 (0x0x0)	0 (0)		10300		35.00%
CI	LSC2K-APAR-001A	Quantum Scalar i6000 Partitioning Option License Key	0x0x0 (0x0x0)	0 (0)		8240		35.00%
	LSC6K-AEMC-001C	Quantum Scalar i6000 and AEL6000 Storage Expansion Module (SEM3), no tape drive support	42.5x87x48 (108x221x121.9)	640 (290.3)	7-68268-04183-7	14935	30d RE	35.00%
	LSC6K-AEMD-001C	Quantum Scalar i6000 and AEL6000 Drive Ready Expansion Module (DREM3), no tape drives	42.5x87x48 (108x221x121.9)	700 (317.51)	7-68268-04184-4	17510	30d RE	35.00%
	LSC6K-AEMH-001A	Quantum Scalar i6000 and AEL6000 High-Density Expansion Module (HDEM), no tape drive support	42.5x87x48 (108x221x121.9)	627 (284.4)		29870	30d RE	35.00%
	LSC2K-ARPS-001E	Quantum Scalar i6000 Control Module (CM2) and Drive Ready Expansion Module (DREM2) Redundant Power (2N), for Series 2 Module	10x10x22 (25.4x25.4x55.9)	27 (12.25)		6695	30d RE	35.00%
	LSC6K-ARPS-001G	Quantum Scalar i6000 and AEL6000 Control Module (CM3) and Drive Ready Expansion Module (DREM3) Redundant Power (2N)	20x12x6 (50.8x30.5x15.2)	5 (2.27)	7-68268-04191-2	6695	30d RE	35.00%
	LSC6K-ARPH-001A	Quantum Scalar i6000 High-Density Expansion Module Redundant (2N) Power Supply	9x9x16 (22.9x22.9x40.6)	5 (2.27)		3090	30d RE	35.00%
CI	LSC6K-ACBP-C01A	Quantum Scalar i6000 and AEL6000 Power Cord for Series 2 Control Modules (CM2) and Series 2 Drive Ready Expansion Modules (DREM2), North America, NEMA L6-20, 208VAC, 20 Amp, twist lock	12.3x12.3x4.5 (31.2x31.2x11.4)	4.5 (2.04)		119	30d RE	35.00%
CI	LSC6K-ACBP-C02A	Quantum Scalar i6000 and AEL6000 Power Cord for Series 2 Control Modules (CM2) and Series 2 Drive Ready Expansion Modules (DREM2), North America, NEMA L6-15, 208VAC, 15 Amp, twist lock	12.3x12.3x4.5 (31.2x31.2x11.4)	4.5 (2.04)		119	30d RE	35.00%

Service Zone: 1 Currency: US Dollars

Change	Model Number	Description	Package Dimensions WxHxD, in (cm)	Package Weight, lbs (kg)	UPC	WW List Price	Warranty*	DIR DISC %
CI	LSC6K-ACBP-C03A	Quantum Scalar i6000 and AEL6000 Power Cord for Series 2 Control Modules (CM2) and Series 2 Drive Ready Expansion Modules (DREM2), North America, NEMA L5-30, 110VAC, 30 Amp, twist lock	12.3x12.3x4.5 (31.2x31.2x11.4)	4.5 (2.04)		119	30d RE	35.00%
	LSC6K-ACBP-D07A	Quantum Scalar i6000 and AEL6000 Power Cord for Series 3 Modules (CM3 and DREM3) and High-Density Expansion Modules (HDEM), NEMA L6-30P, 125VAC, 30 Amp, straight blade	9x12x3 (22.9x30.5x7.6)	3 (1.36)		119		35.00%
	LSC6K-ACBP-H04A	Quantum Scalar i6000 and AEL6000 Power Cord for Series 3 Modules (CM3 and DREM3) and High-Density Expansion Modules, North America, NEMA 5-20, 125VAC, 20 Amp, straight blade	12.3x12.3x4.5 (31.2x31.2x11.4)	1.5 (0.68)		119	30d RE	35.00%
	LSC6K-ACBP-H05A	Quantum Scalar i6000 and AEL6000 Power Cord Series 3 Modules (CM3 and DREM3) and High-Density Expansion Modules, North America, NEMA L5-20, 125VAC, 20 Amp, twist lock	9.5x6.5x4.5 (24.1x16.5x11.4)	2.5 (1.13)		119	30d RE	35.00%
	LSC6K-ACBP-H06A	Quantum Scalar i6000 and AEL6000 Power Cord for Series 3 Modules (CM3 and DREM3) and High-Density Expansion Modules, International, CEE 7/7 European SHUKO, 230-250VAC, 30 Amp	9.5x6.5x4.5 (24.1x16.5x11.4)	1.5 (0.68)		119	30d RE	35.00%
	LSC6K-AEEB-001A	Quantum Scalar i6000 and AEL6000 Ethernet Expansion Blade (EEB)	4x4x16 (10.2x10.2x40.6)	6 (2.72)		1700	30d RE	35.00%
	LSC2K-AMAG-L06A	Quantum Scalar i500/i6000 and AEL500/6000 Six-slot LTO Magazine	13x13x6 (33x33x15.2)	4 (1.81)		72		35.00%
	LSC2K-AADR-001A	Quantum Scalar i6000 and AEL6000 Advanced Reporting Option License Key	0x0x0 (0x0x0)	0 (0)		3039		35.00%
	LSC6K-ALBP-A05A	Quantum Scalar i6000 and AEL6000 Basic Path Failover license, for use with HP or IBM LTO-5 and later, Enables One-Drive	0x0x0 (0x0x0)	0 (0)		2500		35.00%
	LSC6K-ALAP-B05A	Quantum Scalar i6000 and AEL6000 Advanced Path Failover license, for use with IBM LTO-5 and later, Enables One-Drive	0x0x0 (0x0x0)	0 (0)		3500		35.00%
	LSC6K-ALAP-H05A	Quantum Scalar i6000 and AEL6000 Advanced Path Failover license, for use with HP LTO-6, Enables One-Drive	0x0x0 (0x0x0)	0 (0)		3500		35.00%
	LSC6K-AKM1-L4HA	Quantum Scalar i6000 and AEL6000, Library Managed Encryption License Key for Third-Party Key Managers, One-Drive	0x0x0 (0x0x0)	0 (0)		2060		35.00%
	LSC6K-AQK1-L4HA	Quantum Scalar i6000 and AEL6000, Library Managed Encryption License Key for Scalar Key Manager (SKM), One-Drive	0x0x0 (0x0x0)	0 (0)		2060		35.00%
	LSC6K-UQ25-001A	Quantum Scalar i6000 and AEL6000, Library Managed Encryption License Key for migration from Quantum Encryption Key Manager (Q-EKM) to Scalar Key Manager (SKM), One Drive, field upgrade	0x0x0 (0x0x0)	0 (0)		2060		35.00%
CI	LSCBB-AKMA-001B	Quantum Scalar Key Manager Appliance, mandatory quantity two	30.13x23x6.5 (76.5x58.4x16.5)	60 (27.22)		7500	3yr RE	35.00%
	LSCBB-AKMV-001B	Quantum Scalar Key Manager Virtual Machine for VMware, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	35.00%
	LSCBB-AKMK-001B	Quantum Scalar Key Manager Virtual Machine for KVM, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	35.00%
	LSCBB-ALHV-001A	Quantum Scalar Key Manager Virtual Machine for Hyper-V, mandatory quantity two	10x10x4 (25.4x25.4x10.2)	1 (0.45)		2000	3yr TS	35.00%
	LSC6K-AEDL-000A	Quantum Scalar i6000 iLayer EDLM License, Scanning Drives Not Included	0x0x0 (0x0x0)	0 (0)		10300		35.00%
	LSC6K-AEDL-B9AA	Quantum Scalar i6000 and AEL6000 IBM LTO-9 EDLM Scanning Tape Drive	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04589-7	13100	30d RE	35.00%
	LSC6K-AEDL-B8AA	Quantum Scalar i6000 and AEL6000 IBM LTO-8 EDLM Scanning Tape Drive	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-80445-9	9990	30d RE	35.00%
	LSC6K-AEDL-B7AA	Quantum Scalar i6000 and AEL6000 IBM LTO-7 EDLM Scanning Tape Drive	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04196-7	8600	30d RE	35.00%
	LSC6K-AEDL-B6AA	Quantum Scalar i6000 and AEL6000 IBM LTO-6 EDLM Scanning Tape Drive	9x9x16 (22.9x22.9x40.6)	13 (5.9)	7-68268-04192-9	6930	30d RE	35.00%
	LSC6K-ACSH-001A	Quantum Scalar i6000 and AEL6000 High-Density Expansion Module, Cartridge Scanner	75x14x8.5 (190.5x35.6x21.6)	18 (8.16)		5150	30d RE	35.00%
	LSC6K-AALK-0001	Quantum Scalar i6000 and AEL6000 Aisle Light Kit, Per Module	7x5x1.5 (17.8x12.7x3.8)	3 (1.36)		773	30d RE	35.00%
	LSC6K-ACAM-001A	Quantum Scalar i6000 and AEL6000 Web Camera	9.25x8.5x6.5 (23.5x21.6x16.5)			3090	30d RE	35.00%
	LSC6K-ADRU-000A	Quantum Scalar i6000 and AEL6000 Dual Robot and Left Parking Module Upgrade	85x85x81 (215.9x215.9x205.7)	722 (327.49)		51500	30d RE	35.00%
	LSC6K-URHU-012A	Quantum Scalar i6000 Gen1 to Gen2 Robot Hardware Upgrade and Scalar i2000 to Scalar i6000 Upgrade, field upgrade	79x18.5x13.75 (200.7x47x34.9)	40.8 (18.51)		30900		35.00%
	LSC6K-UC2D-001C	Quantum Scalar i6000 and AEL6000 Storage Expansion Module (SEM3) to Drive Ready Expansion Module (DREM3) Conversion, field upgrade	36x21x14 (91.4x53.3x35.6)	73 (33.11)	7-68268-04190-5	3090	30d RE	35.00%
	LSC6K-UJELU-002A	Quantum Scalar i6000 and AEL6000 Electronics Upgrade, Gen2, field upgrade				8230	30d RE	35.00%
	LSC6K-ACVN-HPEE	Quantum Library Conversion from HPE ESLG3 to Scalar i6000, field upgrade	10x6x12 (25.4x15.2x30.5)	3 (1.36)		10000		35.00%
	LSC6K-ACSP-HMBA	Quantum Scalar i6000 High-Density Expansion Module, Motor and Belt Cold Spare	16x10x6 (40.6x25.4x15.2)	13 (5.9)		5150	30d RE	35.00%

Service Zone: 1 Currency: US Dollars

Change	Model Number	Description	Package Dimensions WxHxD, in (cm)	Package Weight, lbs (kg)	UPC	WW List Price	Warranty*	DIR DISC %
	LSC6K-ACSP-EMPA	Quantum Scalar i6000 Series 2 Control Module and Drive Ready Expansion Module, Power Supply Cold Spare	20x10x8 (50.8x25.4x20.3)	12 (5.44)		3090	30d RE	35.00%